

**Gantiel Vensott Pty. Ltd.**

# Venlon—6GoF

[ Oil Filled Cast Nylon Green ]

## Material Safety Data Sheet



**Product Name:** Venlon—6GoF  
Oil Filled Cast Nylon Green

**Company Name:** Gantiel Vensott E.P.S. Pty. Ltd.  
**Address:** 15, Bearing Road, Seven Hills, NSW 2047  
**Telephone No:** +61 2 8678 9491  
**Fax No:** +61 0 8678 9492  
**Email:** sales@gantiel.com  
**Website:** www.gantiel.com

### Composition / information on ingredients :-

**Chemical characterization:** Polycaprolactam  $[NH(CH_2)_5CO]_n$  + modifiers  
Poly (Caprolactum + laurolactam  $[NH(CH_2XCO)]_n$  + modifiers  
**CAS REGISTRY NO.:** Not Applicable  
**CHEMICAL DESCRIPTION:** This semi-finished product is considered herein as a number of similar complex mixtures of nylon polymers formulated with performance modifiers and colorants. The major component is either type 6 nylon or type 6/12 nylon. The material is supplied cast into standard shapes such as sheet, rods, plates, tubes, and blocks. This MSDS applies to all of the NY CAST products.

### Physical hazard or health hazard ingredients :-

**Material:** Not known  
**CAS RN:** NA  
**Weight %:** NA  
**OSHA PEL:** NA  
**ACGIH TLV:** NA

NO chemical present in this product at a concentration of 0.1% or more classified as a carcinogen by national toxicology program, international agency for research on cancer, or OSHA.

**Gantiel Vensott Pty. Ltd. –Engineering Plastic Solutions-**

Ph: +61 2 8678 9491 Fax: +61 2 8678 9492 –15 Bearing Rd, Seven Hills NSW 2147, P.O. Box 586 Baulkham Hills NSW 1755, ABN: 87 108 071 512

Updated on 26-06-2014

All information supplied by or on behalf of Gantiel Vensott Pty. Ltd. in relation to its products, whether in the nature of data, recommendations or otherwise, is supported by research and believed reliable at time of printing. Data is predominantly supplied by our principal suppliers and from a reputable source. But Gantiel Vensott Pty. Ltd. assumes no liability whatsoever in respect of application, processing or use made of the aforementioned information or products, or any consequence thereof. The buyer undertakes all liability in respect of the application, processing or use of the aforementioned information or product, whose quality and other properties he shall verify, or any consequence thereof. No liability whatsoever shall attach to Gantiel Vensott Pty. Ltd. for any infringement of the rights owned or controlled by a third party in intellectual, industrial or other property by reason of the application, processing or use of the aforementioned information or products by the buyer

**Gantiel Vensott Pty. Ltd.**

# Venlon—6GoF

[ Oil Filled Cast Nylon Green ]

**Material Safety Data Sheet**



## Physical Data :-

Form:	Solid Plastic
Boiling/Melting Temperature:	410-460° F approx.
Vapor pressure @ 70 Deg. F:	negligible
Evaporation rate (BUTYL ACETAL = 1):	Negligible
Solubility in water:	Negligible
Specific gravity (WATER=1):	1.15
Appearance:	Sheets blocks, tubes and rods weighing 3 to 800 lbs.
Color:	Assorted colors
Odor: None	

## Fire and explosive data :-

General information:	The product is being classified as non-noxious.
Flash point:	Not applicable
Flash ignition temperature:	750° F EST.
Fire and explosion hazards :	Large molten masses may ignite spontaneously in air; water quenching of such masses is good practice. Combustion products can be oxides of gen, carbon monoxide, carbon dioxide, etc.
nitro	
Extinguishing media:	Water, carbon dioxide, foam, dry chemical
Special firefighting instructions:	Wear self-contained breathing apparatus.

## Hazardous Reactivity :-

Material to avoid:	Strong acids, strong oxidizing agents, certain salts
Conditions to avoid:	Temperatures above 400° F cause deformation, melting
Hazardous combustion and decomposition products:	Oxides of nitrogen, carbon, ammonia, hydrogen, cyanide, aldehydes, ketones, etc.

**Gantiel Vensott Pty. Ltd. –Engineering Plastic Solutions-**

Ph: +61 2 8678 9491 Fax: +61 2 8678 9492 –15 Bearing Rd, Seven Hills NSW 2147, P.O. Box 586 Baulkham Hills NSW 1755, ABN: 87 108 071 512

Updated on 26-06-2014

All information supplied by or on behalf of Gantiel Vensott Pty. Ltd. In relation to its products, whether in the nature of data, recommendations or otherwise, is supported by research and believed reliable at time of printing. Data is predominantly supplied by our principal suppliers and from a reputable source. But Gantiel Vensott Pty. Ltd. assumes no liability whatsoever in respect of application, processing or use made of the aforementioned information or products, or any consequence thereof. The buyer undertakes all liability in respect of the application, processing or use of the aforementioned information or product, whose quality and other properties he shall verify, or any consequence thereof. No liability whatsoever shall attach to Gantiel Vensott Pty. Ltd. for any infringement of the rights owned or controlled by a third party in intellectual, industrial or other property by reason of the application, processing or use of the aforementioned information or products by the buyer

**Gantiel Vensott Pty. Ltd.**

# Venlon—6GoF

[ Oil Filled Cast Nylon Green ]

## Material Safety Data Sheet



### Precautions for safe handling and use :-

If material is released or spilled:	Not applicable to bulk casting.
Waste disposal method:	Dispose of in landfill in compliance with all federal, state, and local regulations.
Handling and storage:	Handle heavier castings either with lifting equipment or sufficient manpower. Store in dry place away from water.
Other instructions:	Any other appropriate and necessary precautions as determined by specific manufacturing use or uses.

### Health Information :-

#### Route of entry

Inhalation (Breathing):	Bulk casting-no. Dusts, particles, and chips can be generated during machining operations on cast shapes. Inhalation of dust is possible; large particles could conceivably block air passages.
Ingestion (Swallowing):	Bulk castings-no. Generated dust, particles, and chips could be swallowed.

#### Acute Effects of exposure

Inhalation:	Mechanical obstruction
Skin and eyes:	Mechanical irritation or scratching
Chronic effects of exposure:	None Known

#### Emergency and first aid procedures

Inhalation:	Use emergency first aid techniques to remove obstruction or to resume breathing and/or call for medical help immediately.
Ingestion:	Use first aid techniques, including coughing, to remove obstruction and/or call for medical help.
Skin contact:	Wash with soap and water, treat by first aid techniques.
Eye contact:	Wash eyes at the eye-wash station and/or get medical help.

## Gantiel Vensott Pty. Ltd. –Engineering Plastic Solutions-

Ph: +61 2 8678 9491 Fax: +61 2 8678 9492 –15 Bearing Rd, Seven Hills NSW 2147, P.O. Box 586 Baulkham Hills NSW 1755, ABN: 87 108 071 512

Updated on 26-06-2014

All information supplied by or on behalf of Gantiel Vensott Pty. Ltd. in relation to its products, whether in the nature of data, recommendations or otherwise, is supported by research and believed reliable at time of printing. Data is predominantly supplied by our principal suppliers and from a reputable source. But Gantiel Vensott Pty. Ltd. assumes no liability whatsoever in respect of application, processing or use made of the aforementioned information or products, or any consequence thereof. The buyer undertakes all liability in respect of the application, processing or use of the aforementioned information or product, whose quality and other properties he shall verify, or any consequence thereof. No liability whatsoever shall attach to Gantiel Vensott Pty. Ltd. for any infringement of the rights owned or controlled by a third party in intellectual, industrial or other property by reason of the application, processing or use of the aforementioned information or products by the buyer.

**Gantiel Vensott Pty. Ltd.**

# Venlon—6GoF

[ Oil Filled Cast Nylon Green ]

## Material Safety Data Sheet



### Control Measures :-

Ventilation:	General exhaust or local exhaust at machining area to keep dust below 15mg./cu.m. (OSHA TWA limit for nuisance dust).
Respiratory protection:	If dust generated in use (such as machining) exceeds the TWA of 15 mg.cu.m. Wear a NIOSH approved dust mask.
Eye protection:	Wear safety glasses or a face shield in workplace.
Protective gloves:	Wear gloves for gripping and to prevent scratches.
Other protective equipment:	As appropriate for the specific use.
Hygienic practices:	Wash hands prior to eating, drinking, or smoking.
Work practices:	When handling heavy castings, use proper lifting techniques, e.g., lift slowly with legs in squat position.

### Regulatory and HMIS information :-

SARA 313 NOTIFICATION:	This product does not contain toxic chemicals subject to the reporting requirements of section 313 of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR parts 372.
HMIS HAZARD CODES:	HO F1 RO

**THIS MSDS HAD BEEN MADE IN ACCORDANCE WITH THE EXACT INFORMATION AND VALUES FROM OUR PRINCIPLE SUPPLIER OF THIS PRODUCT— CAST NYLONS LIMITED.**

NOTICE: Cast Nylons Limited manufactures nylon plastic products for use in the production of the products by industrial customers. Cast Nylons Limited usually has only limited information about the products of its customers and their methods of manufacture and use. Accordingly, Cast Nylons Limited makes no warranty, expressed or implied, as to the accuracy, completeness, or reliability of information herein except that such information is, to the best of Cast Nylons Limited's knowledge and belief, accurate as of the data indicated.

**Gantiel Vensott Pty. Ltd. –Engineering Plastic Solutions-**

Ph: +61 2 8678 9491 Fax: +61 2 8678 9492 –15 Bearing Rd, Seven Hills NSW 2147, P.O. Box 586 Baulkham Hills NSW 1755, ABN: 87 108 071 512

Updated on 26-06-2014

All information supplied by or on behalf of Gantiel Vensott Pty. Ltd. In relation to its products, whether in the nature of data, recommendations or otherwise, is supported by research and believed reliable at time of printing. Data is predominantly supplied by our principal suppliers and from a reputable source. But Gantiel Vensott Pty. Ltd. assumes no liability whatsoever in respect of application, processing or use made of the aforementioned information or products, or any consequence thereof. The buyer undertakes all liability in respect of the application, processing or use of the aforementioned information or product, whose quality and other properties he shall verify, or any consequence thereof. No liability whatsoever shall attach to Gantiel Vensott Pty. Ltd. for any infringement of the rights owned or controlled by a third party in intellectual, industrial or other property by reason of the application, processing or use of the aforementioned information or products by the buyer